illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.12.2016

Version number 5

Revision: 19.04.2016

Printing date 12.12.2016	Version number 5	Revision: 19.04.2016
SECTION 1: Identificatio undertaking	n of the substance/mixtu	ure and of the company/
· 1.1 Product identifier		
· Trade name: <u>NOE Schalungssili</u>	kon	
 MSDS code: A-PL000286 1.2 Relevant identified uses of the No further relevant information avain the substance / the	ailable.	es advised against
 1.3 Details of the supplier of the Manufacturer/Supplier: tremco illbruck Productie B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 7 msds@tremco-illbruck.com 	-	
 Further information obtainable f tremco illbruck Ltd Coupland Road, Hindley Green, W T: +44 (0) 1942251400, F: +44 (0) www.tremco-illbruck.co.uk, uk.info 	/igan, WN2 4HT 1942251410	
• 1.4 Emergency telephone number During office hours tel.: +44 (0) 19 centre.		se contact your national poisoning
SECTION 2: Hazards identif	fication	
 • 2.1 Classification of the substant • Classification according to Regression The product is not classified according 	ulation (EC) No 1272/2008	
 2.2 Label elements Labelling according to Regulation Hazard pictograms Void Signal word Void Hazard statements Void Hazard statements Void Supplemental information: EUH208 Contains N-(3-(trimethoxy) EUH210 Safety data sheet availab 2.3 Other hazards Results of PBT and vPvB assess PBT: Not applicable. vPvB: Not applicable. 	ysilyl)propyl)ethylenediamine. May le on request.	produce an allergic reaction.
SECTION 3: Composition/ir · 3.2 Mixtures · Description: Polydimethylsiloxane	-	lane as curing agent (Contd. on page 2) GB

according to 1907/2006/EC, Article 31

Printing date 12.12.2016

Version number 5



Revision: 19.04.2016

Trade name: NOE Schalungssilikon

(Contd. of page 1) Dangerous components: CAS: 2768-02-7 trimethoxyvinylsilane 1- <5% EINECS: 220-449-8 Flam. Liq. 3, H226; Acute Tox. 4, H332 Reg.nr.: 01-2119513215-52-xxxx · Additional information: While curing the following substances are formed and released by a reaction with atmospheric humidity: Methanol (CAS 67-56-1) For the wording of the listed hazard phrases refer to section 16. **SECTION 4: First aid measures** 4.1 Description of first aid measures · General information: Take affected persons out into the fresh air. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Remove from the skin using a cloth or paper. Then clean with water and soap. If skin irritation continues, consult a doctor. • After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • Information for doctor: No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 5: Firefighting measures 5.1 Extinguishing media · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water with full jet · 5.2 Special hazards arising from the substance or mixture No further relevant information available. · 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. No special measures required. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

GB -

according to 1907/2006/EC, Article 31

Version number 5

llbruck

Revision: 19.04.2016

Printing date 12.12.2016

Trade name: NOE Schalungssilikon

(Contd. of page 2) · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations. · 6.4 Reference to other sections By a reaction with atmospheric humidity by-products are released. See chapter 8. SECTION 7: Handling and storage • 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. · Information about fire - and explosion protection: No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: No special requirements. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. · 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection • Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity: 67-56-1 methanol WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. · Respiratory protection: Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Filter AX (Contd. on page 4) GB

bruck

according to 1907/2006/EC, Article 31

Printing date 12.12.2016

Version number 5

Revision: 19.04.2016

(Contd. of page 3)



Protective gloves

· Material of gloves

· Protection of hands:

- Butyl rubber, BR
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and
- has to be observed.
- Eye protection: Safety glasses
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties General Information 		
· Appearance:		
Form:	Pasty	
Colour:	According to product specification	
· Odour:	Alcohol-like	
 Melting point/Melting range: 		
 Boiling point/Boiling range: 	Not applicable.	
· Flash point:	>151 °C	
· Self-igniting:	Product is not selfigniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
· Density at 20 °C:	1.02 g/cm ³	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Solvent content:		
VOC (EU)	0.5 g/l	
VOC (EC)	0.05 %	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known. • 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 12.12.2016

Version number 5

Revision: 19.04.2016

Trade name: NOE Schalungssilikon

- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is not biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product.

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

· European waste catalogue		
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09	
	(Contd. on page 6)	

(Contd. on page 6)



(Contd. of page 4)

according to 1907/2006/EC, Article 31

lillbruck

Printing date 12.12.2016

Version number 5

Revision: 19.04.2016

Trade name: NOE Schalungssilikon

(Contd. of page 5)

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information	l
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
 · 14.4 Packing group · ADR, IMDG, IATA 	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex Marpol and the IBC Code	k II of Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1). "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 20
- · National regulations:
- Additional classification according to Decree on Hazardous Materials, Annex II: No further relevant information available.
- · Information about limitation of use: No further relevant information available.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

illbruck

Printing date 12.12.2016

Version number 5

Revision: 19.04.2016

Trade name: NOE Schalungssilikon

(Contd. of page 6)

· Relevant phrases
H226 Flammable liquid and vapour.
H332 Harmful if inhaled.
Previous Revision Date: 31-10-2011
· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
• * Data compared to the previous version altered.